RD 25-22-R-230V AC/DC



Specificatii

Cod ETI	002464062
Descriere	RD 25-22-R-230V AC/DC
Denumire clasă	Contactor modular
Curent nominal Ie AC-1/AC-7 (A)	25A
Tensiunea nominala (V AC)	400V
Tensiunea de control Uc (V AC)	230V
Tensiunea de control Uc (V DC)	230V
Tip	AC/DC
Frecven ă nominală (Hz)	50Hz/60Hz
Număr contacte NO	2
Număr de contacte NC	2
Func ie	Contactor modular
Grup Catalog	tipul RD?R

Pagina de produse online

Alta documentatie

Model 3D
2D mușchi
Declaratie CE
Eplan mușchi

ETIM clasificare internationala

Clasificare	EC001653
Denumire clasă	Installation contactor for distribution board
Rated operating voltage	230...400V
Rated operation current	25A
Rated excitation voltage	230...400V
Voltage type (operating voltage)	AC
Voltage type (excitation voltage)	AC/DC
Number of contacts as normally open contact	2
Number of contacts as normally closed contact	2
Slider for hand switch	Da
Number of modular spacings	2
Built-in depth	60mm
Additional equipment possible	Da
Degree of protection (IP)	IP20

Desen cotat

