ETIMAT 1N 1p+N C10 6kA



Specificatii

Cod ETI	002191122
Descriere	ETIMAT 1N 1p+N C10 6kA
Denumire clasă	Întrerupător de circuit
Func ie	MCB
Capacitatea de rupere (kA)	6
Caracteristică de întrerupere	C
Curent nominal (A)	10
Tensiunea nominală(V)	230
Număr de poli	1+N
Frecven ă nominală (Hz)	50/60
Standarde	IEC/EN 60898-1
Sec iune transversală nominală	1-10
Tipul voltajului	AC
Tensiunea nominala de rezistenta Uimp (kV)	4

Pagina de produse online


Alta documentatie

Catalog caracteristici tehnice
Certificate
Model 3D
Manual de instructiuni
Declaratie CE
Eplan mușchi

ETIM clasificare internationala

Clasificare	EC000042
Denumire clasă	Miniature circuit breaker (MCB)
Release characteristic	C
Number of poles (total)	2
Number of protected poles	1
Rated current	10A
Rated voltage	230V
Rated impulse withstand voltage Uimp	4kV
Rated short-circuit breaking capacity Icn according to EN 60898 at 230 V	6kA
Rated short-circuit breaking capacity Icu according to IEC 60947-2 at 400 V	6kA
Voltage type	AC
Type of drive	50...50Hz
Current limiting class	3
Concurrently switching neutral conductor	1
Width in number of modular spacings	1
Built-in depth	68mm
Degree of protection (IP)	IP20
Connectable conductor cross section multi-wired	1...10mm²
Connectable conductor cross section solid-core	1...10mm²

Caracteristici



Desen cotat

