
Intelligent Visual Industrial Endoscope



Product Desc ription

an endoscope directly connected to an industrial mobile phone with a high-definition camera. When in use, the product is directly connected to the mobile phone interface, and the pictu be displayed on the APP, and it supports the functions of takin pictures and recording.This product is equipped with a high-definition camera with a small diameter of LED auxiliary lighting. Th camera adopts a high-sensitivity chip, which can be used normal even in a dark working environment.

Safety and Maintenance

- Do not hit the camera violently, and do not pull the cable har
- When using in an environment with sharp protrusions, please us with care to prevent the waterproof protective layer of the probe from being scratched.
- The camera probe is not made of heat-resistant and high-temper ture materials. When checking the automobile engine, please ens that the temperature in the engine drops to the normal temperat
- When you stop using it, please make sure the lens and main unit are clean and dry, and avoid contact with oil or other corrosiv dangerous items.
- This product is not suitable for people with limited physical, sensory or mental abilities.
- Do not allow children to touch and operate this equipment.
- If the equipment is damaged, please do not disassemble it by yourself, and contact the place of purchase or the agent to obt repair services.
- The product is an industrial endoscope camera and is not inten for medical use or human examination.

Instructions

Install APP

Method 1:


For IOS users, please search "UseePlus" in App store, downloa and install it. System support (IOS 9+ and above)

Method 2:


Scan the QR code, choose to download the APP. System support (IOS 9.0+ and above)

Method 3:

Search for the "UseePlus" app in the Google Play Store for Android and download and install the system Support 4.2+ and above.




Plug in phone




APP Introduction





1. Setting
2. Connection status
3. Camera
4. File
5. Return
6. Screen rotation
7. Take photos / Record video
8. File
9. Image comparison
10. Color / Black and white
11. Zoom in and out



FAQ

1.APP does not show pictures

Check whether the camera light is on, if the light is off, the interface is not in good contact, please re-plug it.

2.Lags happened during the photo outputting of the product


When the product is stuck, please keep the battery of the mobil phone above 20%.

3.The camera is heat

It is normal for the camera to heat up, especially when the cam LED light is on at the highest brightness.But it does not affect normal use or service life.

Accessories installation Guide

Accessories:
Protective ring*1, Magnet *1, Hook*1, Side mirror*1



Rotate and fasten



Magnet



Hook



Side mirror



Protective ring

Specifications

Camera diameter: 7.9mm	Camera resolution: 2 MP
Viewing angle: 70°	Focusing range: 2cm-10cm
Operating temperature: 32°F~113°F	Camera temperature: 14°F~176°F

RoHS