



EAN:	4013288214638	Size:	210x132x82 mm
Part number:	05057484001	Weight:	803 g
Article number:	Kraftform Kompakt Turbo i 1	Country of origin:	CZ
		Customs tariff number:	82054000

- 4 times the screwdriving speed thanks to the turbo function (purely mechanical - without battery)
- Activate and deactivate the turbo function by a simple push of a button
- Turbo function especially for smooth couplings
- Can be used without the turbo function like a normal screwdriver for couplings with steadily increasing torque
- Robust, maintenance-free gear made of steel

Many users would like to be able to carry out screwdriving processes faster without compromise. With a screwdriver that is precise, allows powerful screwdriving, and is much faster than a conventional screwdriver. A part-time universal gear is the solution: Integrated in the screwdriver handle, it quadruples the working speed with smooth couplings - purely mechanically. One hand holds the front part of the handle, the other hand turns the rear part of the handle. The turbo function can be switched on or off at the push of a button. Turning it off is recommended for tightening and loosening with high torque as well as for fine adjustments. Robust, maintenance-free gear made of steel with a maximum torque of 14Nm when the turbo function is deactivated. With the Wera VDE interchangeable blades individually tested as per IEC 60900, the VDE version of the Kraftform Turbo hand holder 827 T i guarantees fast and safe working even in live environments (up to 1,000 volts).




Web link

https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_turbo_kraftform_kompakt_turbo_i_1.html

Wera - Kraftform Kompakt Turbo i 1
05057484001 - 4013288214638

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Faster screwdriving




The construction of the Kraftform Turbo allows the speed of manual screwdriving to be quadrupled, especially for smooth couplings - without electricity!

Robust, maintenance-free gear made of steel



The robust steel design is maintenance-free and ensures a long product life.

Handle/interchangeable blade system




With its 9 mm mounting, the Kraftform Turbo is suitable for all Wera Kraftform Kompakt VDE interchangeable blades. The "holder/interchangeable blade system" stands for flexible working with many screw profiles.

Individually tested



The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

VDE interchangeable blade with reduced shaft diameter



Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.

PlusMinus screwdrivers



For the use in terminal blocks, control cabinets, switches, relays, sockets etc.

Kraftform



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Web link

https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_turbo_kraftform_kompakt_turbo_i_1.html

Wera - Kraftform Kompakt Turbo i 1
05057484001 - 4013288214638

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt Turbo i 1, 16 pieces

Kraftform Kompakt Turbo



Set contents:

827 T i Kraftform Turbo blade holding handle, 9 x 125 mm



05057481001

1x 9 x 125 mm



817 VDE Kraftform blade-holding handle, 9 x 98 mm



05003990001

1x 9 x 98 mm



Kraftform Kompakt VDE 62 iS, PH 1 x 154 mm



05003413001

1x PH 1 x 154 mm

05003414001

1x PH 2 x 154 mm



Kraftform Kompakt VDE 65 iS, PZ 1 x 154 mm



05003455001

1x PZ 1 x 154 mm

05003456001

1x PZ 2 x 154 mm



Kraftform Kompakt VDE 65 iS PZ/S, # 1 x 154 mm



05003447001

1x # 1 x 154 mm

05003448001

1x # 2 x 154 mm



Kraftform Kompakt VDE 67 i TORX®, TX 10 x 154 mm



05003431001

1x TX 10 x 154 mm



Kraftform Kompakt VDE 67 iS TORX®, TX 15 x 154 mm



05003437001

1x TX 15 x 154 mm

05003438001

1x TX 20 x 154 mm

05003439001

1x TX 25 x 154 mm



Kraftform Kompakt VDE 60 i, 0.4 x 2.5 x 154 mm



05003400001

1x 0.4 x 2.5 x 154 mm



Web link

https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_turbo_kraftform_kompakt_turbo_i_1.html

Wera - Kraftform Kompakt Turbo i 1
05057484001 - 4013288214638

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt Turbo i 1, 16 pieces

Kraftform Kompakt Turbo



Kraftform Kompakt VDE 60 iS, 0.6 x 3.5 x 154 mm



05003406001

1x 0.6 x 3.5 x 154 mm

05003407001

1x 0.8 x 4 x 154 mm

05003408001

1x 1 x 5.5 x 154 mm

Hook and Loop Fastener Strip 120, 120 x 50 mm



1x 120 x 50 mm

Web link

https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_turbo_kraftform_kompakt_turbo_i_1.html

Wera - Kraftform Kompakt Turbo i 1
05057484001 - 4013288214638

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de