

# Bit-Check 30 Impaktor 1, 30 pieces

## Bit-Checks Impaktor



<b>EAN:</b>	4013288156778	<b>Size:</b>	165x85x35 mm
<b>Part number:</b>	05057690001	<b>Weight:</b>	274 g
<b>Article number:</b>	Bit-Check 30 Impaktor 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- Upright positionable, multi-component Bit-Check
- Impaktor technology for above-average service life
- Particularly suitable for use with customary impact drivers
- Diamond coating for a secure fit in the screw, literally bites into the screwhead to prevent cam-out
- Holder with ring magnet for holding longer and heavier screws

1 Impaktor holder with retaining ring and ring magnet, 29 Impaktor bits. The Impaktor technology offers an above-average service life even under extreme circumstances thanks to the best possible utilisation of the material properties and the optimised geometry; particularly suitable for use with customary impact drivers; holder with ring magnet for simple holding of even longer and heavier screws, ideal for overhead work. The rough diamond-coating of the bits reduces the risk of a slipping out of the screw head thanks to the enhanced frictional resistance.

### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_bit\\_sets\\_bit-checks\\_impaktor\\_bit-check\\_30\\_impaktor\\_1.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks_impaktor_bit-check_30_impaktor_1.html)

Wera - Bit-Check 30 Impaktor 1  
05057690001 - 4013288156778

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bit-Check 30 Impaktor 1, 30 pieces

### Bit-Checks Impaktor



#### At the workplace



Impaktor technology for an above-average service life even under extreme demands



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

#### Improved productivity



For use with impact screwdrivers. Improve productivity when screwdriving with power tools.

#### Above-average service life



Maximum utilisation of the material properties, a very special geometry - designed particularly to meet the extreme demands - as well as a specific manufacturing process mean that Wera Impaktor tools have an above-average service life.

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_bit\\_sets\\_bit-checks\\_impaktor\\_bit-check\\_30\\_impaktor\\_1.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks_impaktor_bit-check_30_impaktor_1.html)

Wera - Bit-Check 30 Impaktor 1  
05057690001 - 4013288156778

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)


## Bit-Checks Impaktor

### Impaktor-Bits




For an above-average service life. Maximum utilisation of the material properties, a very special geometry - designed particularly to meet the extreme demands - as well as a specific manufacturing process mean that Wera Impaktor tools have an above-average service life. Another product advantage is the coating of the Impaktor bits with minute diamond particles. These diamond particles reduce the cam-out effects - particularly high in power tool applications - which can lead to a slipping out of the screw head. The diamond particles literally bite themselves into the screw recess. This means that less contact pressure is required, something that greatly delays fatigue setting-in in power tool screwdriving jobs.

### Torsion zone



Torsion zone specially designed to absorb such forces and thereby protect the bit tip.

### Impaktor holder with ring magnet



The Impaktor holder with ring magnet additionally holds longer and heavier screws absolutely securely. This enables a speedy and dependable positioning of the screw. It is also ideal for above-head work. Should the magnet function not be required in a particular situation e.g. when working with metal, it can be extracted from the screwdriving area and can thereby be "disabled". Mainly used in manual power tool applications.

### TriTorsion system



The combination of the double torsion zones in the Impaktor holder and the torsion zone in the Impaktor bit results in the so-called TriTorsion system.

### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_bit\\_sets\\_bit-checks\\_impaktor\\_bit-check\\_30\\_impaktor\\_1.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks_impaktor_bit-check_30_impaktor_1.html)

Wera - Bit-Check 30 Impaktor 1  
05057690001 - 4013288156778

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

# Bit-Check 30 Impaktor 1, 30 pieces

## Bit-Checks Impaktor

### Set contents:

#### 897/4 IMP R Impaktor holder with retaining ring and ring magnet, 1/4" x 75 mm

 05057676001 1x 1/4" x 75 mm



#### 851/1 IMP DC Impaktor bits, PH 1 x 25 mm

 2x PH 1 x 25 mm  
3x PH 2 x 25 mm  
2x PH 3 x 25 mm




#### 855/1 IMP DC Impaktor bits, PZ 1 x 25 mm

 2x PZ 1 x 25 mm  
3x PZ 2 x 25 mm  
2x PZ 3 x 25 mm



#### 867/1 IMP DC Impaktor TORX® bits, TX 10 x 25 mm

 1x TX 10 x 25 mm  
1x TX 15 x 25 mm  
2x TX 20 x 25 mm  
3x TX 25 x 25 mm  
2x TX 30 x 25 mm  
2x TX 40 x 25 mm



#### 840/1 IMP DC Impaktor bits, 3 x 25 mm

 1x 3 x 25 mm  
1x 4 x 25 mm  
1x 5 x 25 mm  
1x 6 x 25 mm



### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_bit\\_sets\\_bit-checks\\_impaktor\\_bit-check\\_30\\_impaktor\\_1.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks_impaktor_bit-check_30_impaktor_1.html)

Wera - Bit-Check 30 Impaktor 1  
05057690001 - 4013288156778

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)